



**DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM**

Certifies That

PURE TEST LABORATORY

729 East Lincoln Avenue, Myerstown, PA 17067

Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a

State Certified Water Quality Laboratory

to perform the analyses indicated on the Annual Certified Parameter List, which must accompany this certificate.

MD Lab ID # 345

Date Issued November 22, 2024

Expiration Date December 31, 2025
(Not Transferable)

Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST.

MDE02121



SDWA ANNUAL CERTIFIED PARAMETER LIST

Issued Date: November 22, 2024

Expiration Date: December 31, 2025

Pure Test Laboratory
729 East Lincoln Avenue
Myerstown, PA 17067

David N. Brubacker
MD Lab ID: 345
EPA Lab ID: PA00154

ANALYTE	METHOD	STATUS
Antimony	SM 3113 B, 23 rd ed.	Certified
Arsenic	SM 3113 B, 23 rd ed.	Certified
Barium	SM 3111 D, 23 rd ed.	Certified
Beryllium	SM 3113 B, 23 rd ed.	Certified
Cadmium	SM 3113 B, 23 rd ed.	Certified
Chromium	SM 3113 B, 23 rd ed.	Certified
Copper	SM 3111 B, 23 rd ed.	Certified
E. coli	SM 9223 Colilert, 21 st ed.	Certified
E. coli-enumeration	SM 9223 Colilert QT, 23 rd ed.	Certified
Fluoride	SM 4110 B, 23 rd ed.	Certified
Fluoride	EPA 300.0, Rev. 2.1	Certified
Heterotrophic Plate Count	SimPlate, November 2000	Certified
Lead	SM 3113 B, 23 rd ed.	Certified
Mercury	SM 3112 B, 23 rd ed.	Certified
Nitrate	SM 4110 B, 23 rd ed.	Certified
Nitrate	EPA 300.0, Rev. 2.1	Certified
Nitrite	SM 4110 B, 23 rd ed.	Certified
Nitrite	EPA 300.0, Rev. 2.1	Certified
Selenium	SM 3113 B, 23 rd ed.	Certified
Thallium	EPA 200.9, Rev. 2.2	Certified
Total Coliforms	SM 9223 Colilert, 21 st ed.	Certified